CABLE SYSTEMS the display collection

estige Homes

11





highest quality

easy to install






* Projects designed and installed by Atlas Display (DHB) Ltd

- Choose from 1.5mm or 3mm thick galvanised steel cables will not fray, kink or mark, unlike stainless steel
- 1.5mm cable supports up to 120kg, 3mm cable up to 200kg
- Designed and manufactured to the highest possible standards of quality
- 5 year guarantee on all metal components
- Extensive range of components and accessories ensures complete design flexibility
- Low-voltage lighting can be fully integrated onto the cable systems
- Stylish yet discreet design
- Easy to install, with an installation service available if required
- Available in 3 standard finishes - satin chrome, polished chrome and brass. Special finishes are available on request



1.5mm cable - fitting options





All cables can be supplied in longer lengths. Add 50p for each extra metre of cable.

K3A4L K3A4

johnellis@shopequip.co.uk

Tel: 01223 892283

Polished

Chrome

A3 Portrai

KW2A3

A3 Landsca

KW2A3L


Polished

Brass:

1.5mm cable - fitting options



Ceiling suspended fittings



Quick fit cable



johnellis@shopequip.co.uk

Trade and volume discounts are available - please ask

www.shopequip.co.uk

Full dimensions - p13

Polished

Brass:

Price f

Price f:

Price £:

2.95

1.55

3.85

Tel: 01223 892283

Polished

1.5mm cable - fitting options

- available in 150mm and 300mm cable centres - creates a stylish support for shelving and graphics

150mm cable centres

300mm cable centres

two 3m cables 150mm cable centres

Finish

Finish:

Wall to floor fittings with

Finish:

Finish:

Satin chrome

Polished Brass

Satin chrome

Polished Brass

Polished chrome

Polished chrome

Satin chrome

Polished chrome

Polished Brass

Satin chrome

Polished Brass

Polished chrome

Item Code:

C2WW-15

C2WW-15/PC

C2WW-15/BR

Item Code:

C2WW-30

Item Code:

C2WF-15

C2WF-15/PC

C2WF-15/BR

Item Code

C2WF-30

C2WF-30/PC

C2WF-30/BR

C2WW-30/PC

C2WW-30/BR

Wall to wall fittings with two 3m cables

Price £:

47.00

56.40

61.10

Price £:

48.00

57.60

62.40

Price £:

40.00

48.00

52.00

Price £:

41.00


49.20

53.30



Double cable fittings





Ceiling to wall fittings with two 3m cables


150mm cable centres

300mm cable centres

Item Code:	Finish:	Price £:
C2CW-15	Satin chrome	40.00
C2CW-15/PC C2CW-15/BR	Polished chrome Polished Brass	48.00 52.00
300mm cab	le centres	

Item Code:	Finish:	Price £:
C2CW-30	Satin chrome	41.00
C2CW-30/PC C2CW-30/BR	Polished chrome Polished Brass	49.20 53.30

Twin cable fittings



Twin cable with single ceiling fitting

- single ceiling fitting, with two 4m long cables fixed to the floor
- spacer bar to ensure cable centres 300mm
- other sizes available on request
- tensioners fitted at bottom


Item Code:	Finish:	Price £:
C2A4F	Satin Chrome	29.50
C2A4F/PC C2A4F/BR	Polished Chrome Polished Brass	35.40 38.35


Trade and volume discounts are available - please ask

All cables can be supplied in longer lengths. Add £1.00 for each extra metre for double cables.

Full dimensions - p13

Polished Brass:





	150mm or 3 cable cen	
1		1
	150mm or 300mm ←───	-
-	-	-
	7	>
-		
WSCA1	- see website	for full range

of shelving kits

Polished

Chrome

5

Panel clamps - 1.5mm cable




Vertical clamps

For panels up to 4mm thick:



Item Code:	Finish:	Price £:
Single		
CG03	Satin Chrome	2.95
CG03/PC CG03/BR	Polished Chrome Polished Brass	3.55 3.85
Double		
CG04	Satin Chrome	4.20
CG04/PC CG04/BR	Polished Chrome Polished Brass	5.05 5.45
COO4/DI	Tolistica Diass	5.45
C004/Dit		5.45

For panels up to 7mm thick:



Item Code:	Finish:	Price £:
Single		
CG01	Satin Chrome	3.90
CG01/PC CG01/BR	Polished Chrome Polished Brass	4.70 5.05
Double		
CG02	Satin Chrome	4.50
CG02/PC CG02/BR	Polished Chrome Polished Brass	5.40 5.85

For panels up to 12.7mm thick:



Item Code [.]	Finish:	Price f ·
CG14	Satin Chrome	4.00
CG14/PC CG14/BR	Polished Chrome Polished Brass	4.80 5.20

For panels up to 12.7mm thick with holes:




- with insert for holes. Supports two 6mm thick glass panels with poster between.

Item Code:	Finish:	Price £:
CG08	Satin Chrome	7.90
CG08/PC	Polished Chrome	9.50
CG08/BR	Polished Brass	10.25

Multi-position clamps - can be locked at any angle

For panels up to 7mm thick:



Item Code:	Finish:	Price £:
Single		
CG11	Satin Chrome	4.90
CG11/PC	Polished Chrome	5.90
CG11/BR	Polished Brass	6.95
Double		
Double CG21	Satin Chrome	7.20
	Satin Chrome Polished Chrome	7.20 8.65
CG21		

For panels up to 10mm thick:



Clamps for wide panels - top/bottom clamps for panels wider than the distance between cables

For panels up to 7mm thick:



Item Code:	Einich -	Price f ·
CG09	Satin Chrome	3.75
CG09/PC CG09/BR	Polished Chrome Polished Brass	4.50 4.90
,		

Multi-position clamps for panels up to 7mm

тпіск:			
Single	- can be lo	cked into any po	sition
	Item Code:	Finish:	Price £:
	Single		
	CG12	Satin Chrome	5.60
	CG12/PC	Polished Chrome	6.75
	CG12/BR	Polished Brass	7.30
Double			
	CG22	Satin Chrome	9.50
	CG22/PC	Polished Chrome	11.40
	CG22/BR	Polished Brass	12.35
Double			

Polished Polished

Full dimensions - p13

Brass:

Trade and volume discounts are available - please ask

www.shopequip.co.uk

johnellis@shopequip.co.uk Tel: 01223 892283


Panel supports - 1.5mm cable



Supports for panels with holes

tl

For panels 5-6mm thick




hole size 6mm diameter
supports for panels up to 20mm
hick available on request


Item Code:	Finish:	Price £:
Single		
CS13	Satin Chrome	4.80
CS13/PC CS13/BR	Polished Chrome Polished Brass	5.75 6.25
Double		
CS23	Satin Chrome	6.50
CS23/PC CS23/BR	Polished Chrome Polished Brass	7.80 8.45



CS13 & CS23 for extra thick panels up to 20mm, specify size required. Add £1.00 to price shown. Ref example: CS13/S



Supports for screw fix panels



Support

- support for any item fitted with boss fitting

Item Code:	Finish ·	Price f:
Single		11100 21
CS03	Satin Chrome	3.50
CS03/PC CS03/BR	Polished Chrome Polished Brass	4.20 4.55
Double		
Double CS04	Satin Chrome	5.75
	Satin Chrome Polished Chrome Polished Brass	5.75 6.90 7.50



P02 Boss

- Boss for use with supports CS03/CS04

- use with up to No. 10 countersunk wood screw or bolt

Item Code:	Finish:	Price £:
P02	Nickel	0.40

Hooks

Hook for panels up to 3mm thick with holes



Item Code:	Finish:	Price £:
Single		
CH01	Satin Chrome	2.50
CH01/PC CH01/BR Double	Polished Chrome Polished Brass	3.00 3.25
CH02	Satin Chrome	3.15
CH02/PC CH02/BR	Polished Chrome Polished Brass	3.80 4.10

Picture hooks



Item Code:	Finish:	Price £:	
Single			
CS12	Satin Chrome	5.80	
Double - not shown			
CS22	Satin Chrome	11.35	

Nylon tip screws

All panel and shelving clamps are supplied with nylon tip as standard*

- nylon tip protects glass and acrylic

* except CG03, CG04

Full dimensions - p13

Trade and volume discounts are available - please ask

Polished

Brass:

www.shopequip.co.uk johnellis@shopequip.co.uk

Tel: 01223 892283

Fax: 01223 891572

Polished

Shelf supports - 1.5mm cable



Under-shelf support



- locates under shelf
- inconspicuous
- for drilled and slotted shelf
- shelf hole size 10mm, slot width 2mm


Item Code:	Finish:	Price £:
CS01	Satin Chrome	1.75
CS01/PC CS01/BR	Polished Chrome Polished Brass	2.50 2.80



Supports for wooden or glass shelves

Shelf support

Single



- for glass shelves

	Price £:
Satin Chrome	5.55
Polished Chrome	6.65
Polished Brass	7.20
Satin Chrome	9.50
Polished Chrome	11.40
Polished Brass	12.35
	Polished Chrome Polished Brass Satin Chrome Polished Chrome

Screw to retain glass shelves

Used with CS11 or CS21 to hold 6mm thick as standard

- flush finish
- plastic insert to protect glass
- hole 6mm dia, 6mm thick glass - hole **12mm** from the edge of
- glass

Item Code:	Finish:	Price £:
P08	Satin Chrome	3.65
P08/PC	Polished Chrome	4.65
P08/BR	Polished Brass	4.90

Clamps for glass shelves

Clamp for glass shelves up to 7mm thick

Single



- for glass shelves without holes

Item Code:	Finish:	Price £:
Single		
CG06	Satin Chrome	3.60
CG06/PC CG06/BR	Polished Chrome Polished Brass	4.30 4.70
Double CG07	Satin Chrome	5.60
CG07/PC	Polished Chrome	6.70
CG07/BR	Polished Brass	7.30

Clamp for glass shelves up to 12.7mm thick



for	glass	shelves	without	holes

Item Code:	Finish:	Price £:
CG15	Satin Chrome	3.70
CG15/PC CG15/BR	Polished Chrome Polished Brass	4.45 4.80

Multi-position clamps for glass shelves

Multi-position clamp for glass shelves up to **7mm** thick - adjustable to any angle



Shown in Brass finish Double

	ocked into posit	ion
Item Code:	Finish:	Price £:
Single		
CG11	Satin Chrome	4.90
CG11/PC	Polished Chrome	5.90
CG11/BR	Polished Brass	6.95

CG11/BR	Polished Brass	6.95
Double		
CG21	Satin Chrome	7.20
CG21/PC	Polished Chrome	8.65
CG21/BR	Polished Brass	11.40

Multi-position clamp for glass shelves up to **10mm** thick



- adjustable to any angle

- can be locked into position

Item Code:	Finish:	Price £:
Single		
CG13	Satin Chrome	5.50
CG13/PC CG13/BR Double	Polished Chrome Polished Brass	6.60 7.15
CG23	Satin Chrome	7.90
CG23/PC CG23/BR	Polished Chrome Polished Brass	9.50 10.30



Trade and volume discounts are available - please ask


Tel: 01223 892283

Shelf & rod supports - 1.5mm cable



Supports to hold rods

Rod support



Rod support - fixed position

 for 6mm diameter rods
 rods will hold acrylic pockets, leaflet holders, banners & graphics

Finish:	Price £:
Satin Chrome	3.45
Polished Chrome	4.15
Polished Brass	4.50
Satin Chrome	6.50
Polished Chrome	7.80
Polished Brass	8.45
	Satin Chrome Polished Chrome Polished Brass Satin Chrome Polished Chrome

Price f

3.80

4.55 4.95

- to hold 6mm rod

Finish

Satin Chrome

Polished Chrome


Polished Brass

Item Code:

CS09

CS09/PC

CS09/BR



Rod support - Multi-position



- can be locked in any position



Unthreaded rod - 6mm dia



Item Code:	Finish:	Price £:
0.5m rod		
R500P	Satin Chrome	4.50
R500P/PC R500P/BR	Polished Chrome Polished Brass	8.35 8.35
1m rod		
R1000P	Satin Chrome	7.00
R1000P/PC R1000P/BR	Polished Chrome Polished Brass	12.60 12.60

Rod end caps



Item Code:	Finish:	Price £:
End cap t	for 6mm rod	
REC	Satin Chrome	2.00
REC/PC REC/BR	Polished Chrome Polished Brass	2.40 2.60
Black PV	C end cap for 6r	nm rod
REC-P/BL	Black	0.25



Trade and volume discounts are available - please ask

Full dimensions - p13

Polished

Shelf supports - 1.5mm cable



Under-shelf support



- locates under shelf
- inconspicuous
- for drilled and slotted shelf
- shelf hole size 10mm, slot width 2mm

Item Code:	Finish:	Price £:
CS01	Satin Chrome	1.75
CS01/PC CS01/BR	Polished Chrome Polished Brass	2.50 2.80



Supports for wooden or glass shelves

Shelf support



- adjustable to any angle of slope

- can be locked into position
- for glass shelves



tem Code:	Finish:	Price £:
Single		
CS11	Satin Chrome	5.55
CS11/PC	Polished Chrome	6.65
CS11/BR	Polished Brass	7.20
Double		
CS21	Satin Chrome	9.50
CS21/PC	Polished Chrome	11.40
CS21/BR	Polished Brass	12.35

Screw to retain glass shelves

Used with CS11 or CS21 to hold 6mm thick as standard

- flush finish

glass

- plastic insert to protect glass
- hole 6mm dia, 6mm thick glass - hole **12mm** from the edge of

Item Code:	Finish:	Price £:
P08	Satin Chrome	3.65
P08/PC	Polished Chrome	4.65
P08/BR	Polished Brass	4.90

Clamps for glass shelves

Clamp for glass shelves up to 7mm thick





-	for	glass	shelves	without	holes

Item Code:	Finish:	Price £:
Single		
CG06	Satin Chrome	3.60
CG06/PC	Polished Chrome	4.30
CG06/BR	Polished Brass	4.70
Double		
CG07	Satin Chrome	5.60
CG07/PC	Polished Chrome	6.70
CG07/BR	Polished Brass	7.30

Clamp for glass shelves up to 12.7mm thick




for glass shelves	without	holes
-------------------	---------	-------

Item Code:	Finish:	Price £:
CG15	Satin Chrome	3.70
CG15/PC CG15/BR	Polished Chrome Polished Brass	4.45 4.80

Multi-position clamps for glass shelves

Multi-position clamp for glass shelves up to **7mm** thick





Item Code:	Finish:	Price £:
Single		
CG11	Satin Chrome	4.90
CG11/PC CG11/BR	Polished Chrome Polished Brass	5.90 6.95
Double		
CG21	Satin Chrome	7.20
CG21/PC CG21/BR	Polished Chrome Polished Brass	8.65 11.40

Multi-position clamp for glass shelves up to **10mm** thick


Single

Double

- adjustable to any angle

- can be locked into position

Item Code:	Finish:	Price £:
Single		
CG13	Satin Chrome	5.50
CG13/PC CG13/BR	Polished Chrome Polished Brass	6.60 7.15
Double		
CG23	Satin Chrome	7.90
CG23/PC CG23/BR	Polished Chrome Polished Brass	9.50 10.30



Brass

Trade and volume discounts are available - please ask

Single

Tel: 01223 892283

Polished

Panel & shelf supports - 3mm cable



Multi-position clamps for panels and shelves

For panels up to 7mm thick



- adjustable to any angle	e
---------------------------	---

- can be locked into position

Finish:	Price £:
Satin Chrome	5.20
Polished Chrome Polished Brass	7.15 7.75
Satin Chrome	7.60
Polished Chrome Polished Brass	10.65 11.55
	Satin Chrome Polished Chrome Polished Brass Satin Chrome Polished Chrome

Clamp for glass shelves

For panels up to 12.7mm thick



Item Code:	Finish:	Price £:
CG15-3	Satin Chrome	4.20
CG15-3/PC	Polished Chrome	5.05
CG15-3/BR	Polished Brass	5.45

For panels up to 10mm thick



- adjustable to any angle
- can be locked into position

Item Code:	Finish:	Price £:
Single		
CG13-3	Satin Chrome	5.70
CG13-3/PC CG13-3/BR	Polished Chrome Polished Brass	7.55 8.15
Double		
CG23-3	Satin Chrome	8.60
CG23-3/PC CG23-3/BR	Polished Chrome Polished Brass	11.50 12.40

Under-shelf support

Double



-	locates	under	shelf	
---	---------	-------	-------	--

- shelf is drilled hole size **10mm**
- inconspicuous

Item Code:	Finish:	Price £:
CS01-3	Satin Chrome	2.10
CS01-3/PC CS01-3/BR	Polished Chrome Polished Brass	2.85 3.10

Supports for wooden or glass shelves

Shelf support



- adjustable to any angle of slope
- can be locked into position
 for glass shelves add ref. P08 (see right)

Item Code:	Finish:	Price £:
Single		
CS11-3	Satin Chrome	5.75
CS11-3/PC CS11-3/BR	Polished Chrome Polished Brass	6.90 7.45
Double		
CS21-3	Satin Chrome	9.80
CS21-3/PC CS21-3/BR	Polished Chrome Polished Brass	11.75 12.75

Supports for screw fix panels



- support for any item fitted with boss fitting P02
- perfect to support hanging rails

Item Code:	Finish:	Price £:
CS03-3	Satin Chrome	3.95
CS03-3/PC	Polished Chrome	4.75
CS03-3/BR	Polished Brass	5.15

PO2 Boss

P02

Boss for use with supports
CS03/CS04
 use with up to No. 10
countersunk wood screw or bolt
Item Code: Finish: Price f:

Nickel 0.40



Screw to retain glass shelves Used with CS11-3 or CS21-3

to hold **6mm** thick as standard

- flush finish
- plastic insert to protect glass
- hole **6mm** dia, **6mm** thick glass - hole **12mm** from the edge of glass

Item Code:	Finish:	Price £:
P08	Satin Chrome	3.65
P08/PC P08/BR	Polished Chrome Polished Brass	4.65 4.90

Hooks

Hook for panels up to 3mm thick with holes

Single		
	(1)	
	Double	

Item Code:	Finish:	Price £:
Single		
CH01-3	Satin Chrome	2.65
CH01-3/PC CH01-3/BR Double	Polished Chrome Polished Brass	3.70 3.95
CH02-3	Satin Chrome	3.45
CH02-3/PC CH02-3/BR	Polished Chrome Polished Brass	4.15 4.45

Full dimensions - p13

Brass:

Trade and volume discounts are available - please ask

www.shopequip.co.uk

Tel: 01223 892283

Polished

Promotional material



Price f:

100.00

Samples







Increase your sales by using samples which enable you to show the quality and design of the product. Remember - once your client sees and touches the product they normally purchase, as they are so delighted with the quality and design. The samples have been vastly reduced in price and are NOT subject to any discounts.

Sample snake

- 1.5mm cable supplied with top/bottom fittings.
- length 1 metre
- fittings: CG01, CG02, CG03/PC, CG04, CG06, CG09, CG11, CS01/BR, CS13

Item Code:	Price £:
CSC	35.00

Sample 3mm rod

- 3mm rod (100mm length) supplied with REC end cap and a CG03 support

Item Code: Price f:

5.25

Freestyle sample frame

- supplied with quick fit cables and a business card holder supported with CG03 supports

Item Code:	Price £:
SFS	49.97

Sample cases

Order a case and we will give you a credit on your account against your next order - £50 credit for the large case and £25 credit for small case (valid on orders over £200).

Small

RB1-S


- small lightweight blue plastic case with cables/rods and wall mounted supports

- 350mm w x 300mm h x 65mm d Large:

Large heavy duty aluminium case with a comprehensive range of cable/rod fittings, plus low voltage lighting sample

- 390mm w x 290mm h x 135mm d

Sample frame





Component measurements



All measurements are in millimetres unless stated L=Length W=Width H=Height Ø=Diameter D=Depth Int=Internal

All meas	surements a	ire in millimetres unless stated	L=Length	W=Width	H=Height	Ø=Diameter	D=Depth	Int=Internal	
Item	Allen	Dimensions:	Item	Allen	Dimensions:		Item	Allen	Dimensions:
code:	key:		code:	key:			code:	key:	
AC		W=19; H=11.5	CS12-3	• •	H=27; D=26;	Ø=16	RG23	• •	L=46; Ø=18
ACD		W=28; H=11	CS13	• •	L=21.5; Ø=16		RG23-10	• • •	L=50; Ø=18
ACL		W=19; H=11.5	CS13-3	• •	L=23.5; Ø=16	5	RGN01	•	L=25; Ø=16
C2 C2A4F	• •	2m cable; top fitting $\emptyset = 16$ Top fitting $\emptyset = 18$; floor fitting $\emptyset = 15$	CS21	• •	L=64; Ø=16		RH01	•	L=19; Ø=16
C2CW-15	••	Wall brackets $\emptyset = 38$; 40mm from wall	CS21-3	••	L=64; Ø=16	~ 46	RH01-10	•	L=23; Ø=18
0201115		to back cable; floor fitting $\emptyset = 16$	CS22	•	H=28; D=21.2	2; Ø=16	RH02	•	L=24; Ø=16
C2CW-30	• •	Wall brackets $\emptyset = 38$; 40mm from wall	CS23 CS23-3	••	L=35; Ø=16 L=37; Ø=16		RH02-10 RP	•	L=28; Ø=18 Ø=18
		to back cable; floor fitting $\emptyset = 16$	CS25-5 CWF	•		ects 40 from wall;	RPA	••	Ø = 18 Ø = 15
C2WF-15	• •	Wall brackets $Ø = 38$; 40mm from wall	CVVI	•	floor fitting $Ø =$		RR01	••	L=31; Ø=16
		to back cable; floor fitting $\emptyset = 15$	CWW	•		ects 40 from wall;	RR01-10	• •	L=40; Ø=18
C2WF-30	• •	Wall brackets $\emptyset = 38$; 40mm from wall to back cable; floor fitting $\emptyset = 15$			fitting plate Ø=		RR01-3/10) •••	L=33; Ø=18
C2WW-15	••	Wall brackets $\emptyset = 38$; 40mm from wall	HDS		D=15; Ø=50		RR01-3/6	• • •	L=29; Ø=16
C2 VV VV-1 J	•••	to back cable	HR10-3	•	L=790; Ø=10		RR01-6/10) ••	L=56; Ø=18
C2WW-30	• •	Wall brackets $\emptyset = 38$; 40mm from wall	KC2-CG05			16; support Ø=23	RS		Ø=18
		to back cable	KC2-CG05-		Top fitting $\emptyset = 1$		RS01	•	D=11; Ø=16
CA4	•	4m cable; top fitting Ø=16; bottom	KMDB/SI	•	H=350; D=35 project 40mm &		RS03	• •	L=17.5;
		fitting $\emptyset = 15$			wall				Int Ø=12; Int D=6; Ø=16
CA4-3	•	Top fitting $\emptyset = 16$; bottom fitting $\emptyset = 15$	KMSB-25/S	1	H=30; Ø=35;		RS03-10	••	L=22; Ø=18
CAA	••	4m cable; fittings Ø=38 4m cable; top bracket Ø=38;			cable fitting 25	mm from wall	RS04	• •	L=22; S=10 L=21; Int Ø=12;
CAF	•••	floor fitting $\emptyset = 15$	KMSB/SI		H=60; Ø=60;		1001		Int D=6; $Ø=16$
CAT	•	Weight 100H x 30Ø; weighs 0.55kg			cable fitting 50		RS04-10	••	L=26; Ø=18
CCT	•	Weight 100H x 30Ø; weighs 0.55kg	KMSB-100,	/SI	H=110; Ø=11		RS05	• •	L=17; Ø=16
CCW	•	3m cable; top fitting $\emptyset = 16$; projects	P01		100mm from w $\emptyset = 38$	/all	RS05-10	••	L=22; Ø=18
		40 from wall	P01-PC01		u=so H=15: Ø=38		RS06	• •	L=20; Ø=16
CD-4	•	W=5; Ø=25	P02		M = 15, D = 50 M = 12; D = 6		RS06-10	••	L=26; Ø=18
CD-10	•	W=5; Ø=25	P08	•	H = 8; Ø = 16		RS08	••	L=18; Ø=16
CG01	•	L=20; Ø=16	PC01/I		L=12; Ø=16		RS-10	••	L=22; \emptyset =20
CG01-3	••	L=21; Ø=16	PC31		L=18		RS11 RS11-10	••	L=39; Ø=16 L=43; Ø=18
CG02	•	L=32; Ø=16	PR01-I		L=12; Ø=16		RS11-10	•	H = 28; D = 18.1;
CG03 CG03-3	•	L=15; Ø=10 L=15; Ø=10	R1000-10		L=1000; Ø=10	0	1312	-	$\emptyset = 16$
CG03-5 CG04	•	$L=13, \ \emptyset=10$ L=22; $\emptyset=10$	R1000P		L=1000; Ø=6		RS12-10	• •	L=20; Ø=18
CG04-3	•	L=22; Ø=10 L=22; Ø=10	R1500		L=1500; Ø=6		RS13	• •	L=25; Ø=16
CG06	•	L=20; Ø=16	R1500-10		L=1500; Ø=10	0	RS13-10	•	L=30; Ø=18
CG07	•	L=32; Ø=16	R500		L=500; Ø=6		RS21	• •	L=64; Ø=16
CG08	•	L=31; \emptyset =21; 8.5mm \emptyset hole required	R500-10		L=500; Ø=10		RS21-10	• •	L=68; Ø=18
		15mm from edge of panel	R500P RAAS	••	L=500; \emptyset =6 Top fitting \emptyset =1	15.	RS22	• •	L=30; D=24.2;
CG09	•	L=22; Ø=16	INAAS	•••	bottom fitting &		0622		Ø=16
CG11	• •	L=27; Ø=16	RAS	•	Top & bottom fi		RS23 RS23-10	••	L=38; Ø=16 L=38; Ø=18
CG11-3	•••	L=28; Ø=16	RAS-10		Top fitting $\emptyset = 2$		RSA		$\emptyset = 15$
CG12	••	L=30; Ø=18			Bottom fitting &	ð=22	WM01	• •	L=30
CG12-3 CG13	••	L=31; Ø=18 L=27; Ø=18	RB1		1m rod; top fitt	5	WM02	• •	L=30
CG13-3	• • •	L=28; Ø=18	RB2		2m rod; top fitt		WM03	•	L=16
CG14	•	$L=20; \emptyset = 20.5$	RB3		3m rod; top fitt		WM04	•	L=16
CG14-3	• •	$L=21; \emptyset=20.5$	RBCF3		3m rod; top fitt bottom fitting @		WM05-13	•	L=25; Ø=16
CG15	•	L=20; Ø=20.5	RBT1		1m rod; top fitt		WM05L-2	0 •	L=40; Ø=16
CG15-3	• •	L=20.5; Ø=21	RBT2		2m rod; top fitt	5	WM06		L=19; Ø=16
CG21	• •	L=46; Ø=16	RBT3		3m rod; top fitt		WM07	•	L=28; Ø=16
CG21-3	• • •	L=46; Ø=16	RBTF3		3m rod; top fitt	-	WM08 WM09	•	L=32; \emptyset =16
CG22	• •	L=52; Ø=18			bottom fitting &	Ø=15	WM10	•	L=31; Ø=16 L=39; Ø=16;
CG22-3	•••	$L=52; \emptyset=18$	RC10-6	•	L=25; Ø=10		VVIVIIU	-	24 mm from wall
CG23 CG23-3	•••	L=46; Ø=18 L=46; Ø=18	REC 10	•	L=16; Ø=12		WM11	••	L=31; Ø=16
CG23-3 CH01	•	L=46; Ø=18 L=16; Ø=16	REC-10		L=15; \emptyset =10		WM11-10	••	L=36; Ø=18
CH01-3	•	L=17; Ø=16	REC-P/BL	•	L=17; \emptyset =8.5		WM11L-1	0 ••	L=59; Ø=18
CH02	•	L=24; Ø=16	RG01 RG01-10	•••	L=25; Ø=16 L=29; Ø=18		WM12	•	L=20; Ø=12
CH02-3	•	L=24; Ø=16	RG02	•	L=36; Ø=16		WM15	•	L=25; Ø=25
CQQ	•	2m Cable;	RG02-10	• •	L=40; Ø=18		WM16	•	L=50; Ø=25
		top and bottom fitting $Ø = 16$	RG05	• •	L=16; Ø=16		WM17	•	L=75; Ø=25
CS01	•	D=11; Ø=16	RG06	•	L=25; Ø=16		WM18	•	L=25; Ø=16
CS01-3	•	D=11; Ø=16	RG06-10	••	L=29; Ø=18		WM19		Ø=16
CS03	••	L=14; Int \emptyset =12; Int D=6; \emptyset =16	RG07	•	L=36; Ø=16		WM20 WMS-2	•	Ø=25; D=5.5 D=2
CS03-3	• •	L=15; Int \emptyset =12; Int D=6; \emptyset =16	RG07-10	• •	L=40; Ø=18		WMS-3		D=2 D=3
CS04	••	L=20; Int \emptyset =12; Int D=6; \emptyset =16	RG11	• •	L=30; Ø=16		ALLEN KEYS		5-5
CS05 CS05-3	••	L=14; Ø=16 L=15; Ø=16	RG11-10	•••	L=34; Ø=18			: h allen key each co	mponent requires
CS05-3 CS06	••	$L=15, \emptyset=16$ L=20; Ø=16	RG12	••	L=33; Ø=18				t above against the
CS00 CS07	••	$L=20, \emptyset=10$ L=28; $\emptyset=16$	RG12-10	•••	L=37; \emptyset =18		grid below:		2
CS08	• •	L=12; Ø=12	RG13 RG13 10	••	L=30; \emptyset =18		AK1.5	1.5mm •	
CS08-3	• •	$L = 16; \emptyset = 16$	RG13-10 RG14-10	•••	L=34; Ø=18 L=29; Ø=20.5		AK2.0	2.0mm •	
CS09	•	L=17; Ø=16	RG14-10 RG21	••	L=29; Ø=20.5 L=46; Ø=16	,	AK2.5 AK3.0	2.5mm • 3.0mm •	
CS11	••	L=36; Ø=18	RG21-10	•••	L=40, Ø=10 L=68; Ø=16		AK3.0 AK4.0	4.0mm •	
CS11-3	•••	L=37; Ø=18	RG22	• •	L=52; Ø=18		AK5.0	5.0mm •	
CS12	•	H=28; D=14.6; Ø=16	RG22-10	•••	L=56; Ø=18		AK6.0	6.0mm •	

www.shopequip.co.uk

Tel: 01223 892283

create the perfect display for







Signage suspended from the ceiling...

Floor-to-ceiling creativity...



Versatile cable and rod systems that allow you to create exactly the display you want.







EXIT TO PARK ST.



Floating multi-media presentations...

fashion

6

1



The very latest digital displays will add sound and movement to your displays...and increase sales too...

Add flexibility to your display with channel...





Incredibly slim, bright light boxes create maximum impact...









Ultra-bright, slim light boxes can be suspended or wall mounted... used on their own or combined with other displays...

HIL



John Ellis Shop Equipment Limited

TEL: 01223 892283 FAX: 01223 891572 johnellis@shopequip.co.uk

www.shopequip.co.uk