
GRAPHIC DISPLAY

the display collection




Accessories can make an enormous difference to the power of your presentation.
Create highly attractive hardworking projects













Your choice of finishes & material

More than just clear acrylic... be adventurous and turn a simple design into something spectacular...

Imagery...

Screen printing

Create high quality text and logo images.

Vinyl lettering

An inexpensive option, ideal for simple lettering.

Acrylics...

Non-reflective acrylic - used to increase visibility in sunny windows or to reduce the glare from spot lighting.

Silicone - green edge, looks like glass.

Sandblast effect - looks like sandblasted glass and does not show dust. Creates impressive screens and background panels.

Coloured acrylic - solid colours create ideal backgound panels.



Acrylic pockets & poster holders



A wide range of pocket types and sizes are available to suit any display requirement. Shown here are just some of the options available - if you want a special size or shape, please call to discuss your requirements.

Easy access pockets


Portrait and landscape pockets in clear acrylic, available in a wide range of sizes.

- designed to be used with cable/rod systems or wall mounted supports (WM09, WM05-13 with WMS-2)



Jumbo pockets

Double sided acrylic pocket designed to take very large posters. Made to order - please call for details.





Easy access pockets



- portrait and landscape pockets in clear acrylic with polished edges

'ragged' edge. Made to order

only - please call.

- available in a wide range of sizes

Portrait pockets

- A2, A1 and A0 are supplied with top clip as standard
- Sizes A5 and A4 are 2mm thick acrylic, all others are 3mm thick

		,,			
Item Code:	Size:	1.5mm & 3mm Cable/Rod centre:	6mm Rod centre:	10mm Rod centre:	Price £:
MA5PW MA4PW MA3PW MA2PW MA1PW MA0PW M5070PW A2030PW A3040PW	A5 A4 A3 A2 A1 A0 (2 part pocket 500mm x 700mm Crown (20" x 30") Double Crown	n 534mm	186mm 248mm 335mm 458mm 632mm 879mm 538mm 546mm	190mm 252mm 339mm 462mm 636mm 883mm 542mm 550mm 804mm	3.50 4.90 11.25 21.00 35.85 90.00 30.75 33.00 73.75
	(Quad) (30" x 40")				

Landscape pockets

- A2 and A1 are supplied with top clip as standard
- Sizes A5, A4 and A3 are 2mm thick acrylic, all others are 3mm thick

Item Code:	Size:	1.5mm & 3mm Cable/Rod centre:	6mm Rod centre:	10mm Rod centre:	Price £:
MA5LW MA4LW	A5 A4	244mm 331mm	248mm 335mm	252mm 339mm	3.50 4.90
MA3LW MA2LW MA1LW	A3 A2 A1	454mm 628mm 875mm	458mm 632mm 879mm	462mm 636mm 883mm	11.25 21.00 35.85




Spare top clips

- for use with landscape and portrait easy access pockets



Item Code:	Price £:
MRC	0.75



Double and treble width pockets

- double and treble width A4 portrait pockets in 2mm thick clear acrylic

0.00.0.0		, c. po. c. a.c pe			
Item		1.5mm & 3mm	6mm	10mm	Price
Code:	Size:	Cable/Rod centre:	Rod centre:	Rod centre:	£:
M2A4PW	A4 x 2 pockets	466mm	470mm	474mm	10.50
M3A4PW	A4 x 3 pockets	688mm	692mm	696mm	14.00

- A3 landscape pocket to be used with M2A4PW above

Item	Size:	1.5mm & 3mm	6mm	10mm	Price
Code:		Cable/Rod centre:	Rod centre:	Rod centre:	£:
MA3LW-4	56 A3	466mm	470mm	474mm	11.25


Tel: 01223 892283



Acrylic pockets & poster holders




Top fixing pocket



Top fixing pockets

- designed to be suspended from the top
- 3mm thick acrylic, supplied with top clip
- use with KC2-CG05 (p14)

Item Code:	Size:	Price £:
MA2HD	A2	22.00
MA1HD	A1	37.00



Pocket frames - for suspension on cables



Solid natural beech frames that attach directly to the cables, with no additional fittings

- complete with U-shaped acrylic pockets
- all units double sided
- profile size: 22mm wide x 20mm deep

Item	Size:	1.5mm	Price
Code:		Cable centres:	£:
WFA5	A5	182mm	21.00
WFA4	A4	244mm	26.00
WFA3	A3	331mm	31.00
WFA2	A2	454mm	43.00

Wall mounted easy access pockets with holes



- to be mounted directly onto wall
- A5 and A4 pockets are 2mm thick acrylic, all other sizes are 3mm thick
- use with WM05-13, WM05L-20 (p9)

Portrait pockets with holes


Item Code:	Size:	Price £:
MA5PW-WM MA4PW-WM MA3PW-WM MA2PW-WM MA1PW-WM MA0PW-WM	A5 A4 A3 A2 A1 A0	4.70 6.10 12.45 22.20 37.05 91.20

Landscape pockets with holes

Item Code:	Size:	Price £:
MA5LW-WM	A5	4.70
MA4LW-WM	A4	6.10
MA3LW-WM	A3	12.45
MA2LW-WM	A2	22.20
MA1LW-WM	A1	37.05
MA0LW-WM	A0	91.20



Wall mounted frameless acrylic poster holders



- two part pocket with a fixed back panel in foam board, which screws directly to the wall. Hook-on acrylic front creates a frameless poster display that is flat against the wall with no visible fixing
- no tools required to change the poster

Portrait		
Item Code:	Size:	Price £:
AWPA4	A4	13.25
AWPA3	A3	22.00
AWPA2	A2	36.75
AWPA1	A1	62.50

Landscape		
Item Code:	Size:	Price £:
AWPA4L	A4	13.25
AWPA3L	A3	22.00
AWPA2L	A2	36.75



PAPER SIZE CHECK: **A5** = 148 x 210mm **A4** = 210 x 297mm **A3** = 297x 420mm **A2** = 420 x 594mm **A1** = 594 x 841mm **A0** = 841 x 1188mm



Hook-on easy access pockets



- pockets designed to be used with horizontal rods. Just hook on in desired position
- A5 and A4 pockets are 2mm thich acrylic, all other sizes are 3mm thick

Portrait		
Item Code:	Size:	Price £:
HA5P	A5	4.60
HA4P	A4	5.75
HA3P	A3	10.30
HA2P	A2	20.00

Landscape		
Item Code:	Size:	Price £:
HA5L	A5	4.60
HA4L	A4	5.75
HA3L	А3	10.30
HA2L	A2	20.00

- available in kit of 4 x A4 portrait pockets, complete with 1m of 6mm diameter rod and wall fixings

Kit - 4 x A4	portrait pockets	
Item Code:	Size:	Price £:
KHA4W Kit	4 x A4	57.30

L-shaped support

To be used with wall-mounted hook-on pockets, where WM11 supports have been used to fix rods to the wall

- keeps pockets hanging vertically
- supplied with double sided adhesive

Item Code:	Price £:
HAS	0.75

Hook-on leaflet dispensers



- A4 portrait hook-on leaflet dispenser. Just hook on in desired position
- 3mm thick acrylic, 40mm internal depth
- A4 sized as standard other sizes on request

Item Code:		Price £:
HA4D	A4	12.25





- available in kit of 4 x A4 portrait dispensers, complete with 1m of 6mm diameter rod and wall fixings

Kit - 4 x A4 portrait dispensers

Item Code:	Size:	Price £:
KHA4D	4 x A4	83.30

Hook-on sloping shelf with lip



- sloping shelves used with wallmounted horizontal rods
- 3mm thick acrylic, 40mm deep
- supplied with triangular back support
- ideal for displaying literature or folded items


- available in kits of 4 x A4 portrait shelves or 2 x A3 landscape shelves, complete with 1m of 6mm diameter rod and wall fixings

HA4S	A4	7.85
Landscape		
Item Code:	Size:	Price £:
HARS	Δ3	15 75


Kit - 4 2	x A4 por	trait shelves	
Item Co	de: Size.	:	- 1

Item Code:	Size:	Price £:
KHA4S	4 x A4	62.70

Kit - 2 x A3 landscape shelves Price £: Item Code: Size: KH_A35 2 x A3 62.80



Fixing systems



Hook-on wall mounted pockets/leaflet dispensers:

- fix to the wall with WM11 which will give a good solid fixing to any type of wall. Use R1000P for single bays and R1500 for continuous runs
- projects centre of rod 24mm away from the wall. Use HAS to ensure display hangs vertical
- fix WM11 support every 484mm on horizontal rod



Wall mounted supports for hook-on shelves:

- use P02 + RS03 when fixing hook-on shelves. This support fits closely to the wall and allows the accessory to locate securely
- projects centre of rod 10mm away from the wall

Trade and volume discounts are available - please ask

A4 dispensers



- leaflet dispensers to take A4 portrait leaflets
- 3mm thick acrylic. 2 x A4 versions have 4mm acrylic backs

1 5mm & 3mm

- depth of pocket 40mm

Single sided

ILCIII		1.5IIIIII Q 5IIIIII	OITIITI	10111111	11100
Code:	Size:	Cable/Rod centre:	Rod centre:	Rod centre:	£:
MA4D	Single A4	244mm	248mm	252mm	13.95
ADLA2	2 x A4	454mm	458mm	462mm	40.50
ADLA1	2 x A4	628mm	632mm	636mm	41.50
Double side	d	4.5	-	10	o .
	Code: MA4D ADLA2 ADLA1 Double side	Code: Size: MA4D Single A4 ADLA2 2 x A4 ADLA1 2 x A4 Double sided	Code: Size: Cable/Rod centre: MA4D Single A4 244mm ADLA2 2 x A4 454mm ADLA1 2 x A4 628mm	Code: Size: Cable/Rod centre: Rod centre: MA4D Single A4 244mm 248mm ADLA2 2 x A4 454mm 458mm ADLA1 2 x A4 628mm 632mm	Code: Size: Cable/Rod centre: Rod centre: Rod centre: MA4D Single A4 244mm 248mm 252mm ADLA2 2 x A4 454mm 458mm 462mm ADLA1 2 x A4 628mm 632mm 636mm Double sided

Double sided							
Item		1.5mm & 3mm	6mm	10mm	Price		
Code:	Size:	Cable/Rod centre:	Rod centre:	Rod centre:	£:		
MA4DD	Single A4	244mm	248mm	252mm	29.80		
ADLA2-D	2 x A4	454mm	458mm	462mm	45.50		
ADLA1-D	2 x A4	628mm	632mm	636mm	46.50		



2 x A4 overall width A2 ADLA2




2 x A4 overall width A1 ADLA1

10mm




A5 dispensers




- leaflet dispensers to take A5 portrait leaflets
- 4mm acrylic back panel, 3mm acrylic front section
- depth of pocket 40mm

Single sided

Jilligic Jiaca	•				
Item		1.5mm & 3mm	6mm	10mm	Price
Code:	Size:	Cable/Rod centre:	Rod centre:	Rod centre:	£:
ADMA2	2 x A5	454mm	458mm	462mm	37.50
ADMA1	3 x A5	628mm	632mm	636mm	38.50
	_				
Double side	d				
Item		1.5mm & 3mm	6mm	10mm	Price
Code:	Size:	Cable/Rod centre:	Rod centre:	Rod centre:	£:
ADMA2-D	2 x A5	454mm	458mm	462mm	42.50
ADMA1-D	3 x A5	628mm	632mm	636mm	43.50




DL (1/3rd A4) dispensers



- leaflet dispensers to take DL (1/3rd A4) portrait leaflets
- 4mm acrylic back panel, 3mm acrylic front section
- depth of pocket 40mm

Single sided


	Item Code:	Size:	1.5mm & 3mm Cable/Rod centre:	6mm Rod centre:	10mm Rod centre:	Price £:
	ADSA2 ADSA1	4 x DL 5 x DL	454mm 628mm	458mm 632mm	462mm 636mm	39.50 40.50
Double sided						
	Item Code:	Size:	1.5mm & 3mm Cable/Rod centre:	6mm Rod centre:	10mm Rod centre:	Price f:
	ADSA2-D	4 x DL	454mm	458mm	462mm	44.50
	ADSA1-D	5 v DI	628mm	632mm	636mm	45 50



Angled leaflet dispensers



- 3mm thick acrylic leaflet dispensers designed to take a variety of sizes
- with 40mm lip and triangular back support
- special sizes available on request



Item Code:	Size:	1.5mm & 3mm Cable/Rod centre:	6mm Rod centre:	10mm Rod centre:	Price £:
ASA4P	A4 portrait	244mm	248mm	252mm	10.40
ASA4L	A4 landscape	331mm	335mm	339mm	10.40
ASA3L	A3 landscape	454mm	458mm	462mm	17.40




PAPER SIZE CHECK: **A5** = 148 x 210mm **A4** = 210 x 297mm **A3** = 297x 420mm **A2** = 420 x 594mm **A1** = 594 x 841mm **A0** = 841 x 1188mm

Acrylic accessories



Sloping shelves For use on cable/rod systems



- acrylic shelf with lip at front edge
- designed to be supported by four cables or rods
- ideal for A4 leaflets/booklets and product presentations
- shelf height 330mm with front lip of 45mm
- choose from clear or silicon acrylic
- shelves are 5mm thick

Item Code:	Size:	Finish:	Price £:
ALSA4	A4	Clear	4.65
ALSA4/S	A4	Silicon	4.85
ASAS3L	A3 landscape	Clear	9.30
ASAS3L/S	A3 landscape	Silicon	9.70

Shelves have been designed to be used with 150 mm spacing between front and back cable/rods. Use with multiposition supports.



Freestanding/wall mounted leaflet dispensers



- injection moulded plastic
- units can be linked together

	_		
Item Code:	Size:	Dimensions (mm):	Price £:
A34D/I	DL (1/3rd A4)	104w x 200h	3.00
A5D/I	A5	155w x 200h	3.00
A4D/I	A4	230w x 300h	5.50

A34D/I A5D/I

Freestanding menu/leaflet holders



- single sided, 2mm thick acrylic

Item Code:	Size:	Dimensions (mm):	Price £:
MA5PF	A5	148w x 210h	3.65
MA4PF	A4	210w x 300h	5.40



- Double sided, 2mm thick acrylic

Item Code:	Size:	Dimensions (mm):	Price £:
MA5PF-D	A5	148w x 220h	4.25
MA4PF-D	A4	210w x 307h	5.90

Trade and volume discounts are available - please ask

Banner & hanging rails



Gotcha strips



Aluminium banner rail with clear plastic gripper strip. Fitted with PO2 supports ready to be used on 1.5mm and 3mm cable and on 3mm, 6mm and 10mm rods.

- quick and easy way to suspend large posters. The clear plastic strips simply clip the poster into position, holding it firmly in place.
- suspend banners from the top only or use floor to ceiling cables or rods to hold banners top and bottom ensures perfect tension at all times.
- remember to order supports see below



Item Code:	Size:	Price £:
A-60	60" (1524mm)	24.35
A-48	48" (1219mm)	19.85
A-40	40" (1016mm)	17.55
A-36	36" (914mm)	15.30
A-24	24" (610mm)	10.75
A-12	12" (305mm)	6.25



Supports


Remember to add supports for Gotcha strips. Available as single or double sided

- supports listed are in satin chrome finish

Item Code:	Cable/rod:	Price £:
Single		
CS03	1.5mm cable	3.50
CS03-3	3mm cable/rod	3.95
RS03	6mm rod	5.80
RS03-10	10mm rod	5 90

Banner rails







25mm diameter hanging/k

- ideal for light weight merchandise
- polished chrome rails, supplied with supports to fit directly onto 1.5mm cables/6mm rods, no
- additional fittings required shorter lengths cut to size

 Item Code:
 Length:

 HR25C-3/PC
 3' (914mm)

 HR25R-3/PC
 3' (914mm)

Tel: 01223 892283



Cable centre: Price £:
944mm cable centre 16.90
944mm rod centres 21.50

Component measurements



All mea	surements a	are in millimetres unless stated	L=Length	W=Width	H=Height	Ø=Diameter	D=Depth	THE PARTY NAMED IN	OP EQUIPMENT
Item	Allen	Dimensions:	Item	Allen	Dimensions:		ltem,	Allen	Dimensions:
code: AC	key:	W_10, II_11 F	code:	key:			code:	key:	
ACD		W=19; H=11.5 W=28; H=11	CS12-3	• •	H=27; D=26; (RG23	• •	L=46; Ø=18
ACL		W=19; H=11.5	CS13 CS13-3	••	L=21.5; \emptyset =16 L=23.5; \emptyset =16		RG23-10 RGN01	•	L=50; \emptyset =18 L=25; \emptyset =16
C2		2m cable; top fitting \emptyset =16	CS21	• •	L=64; Ø=16		RH01	•	L=19; Ø=16
C2A4F	• •	Top fitting $\emptyset = 18$; floor fitting $\emptyset = 15$	CS21-3	• •	L=64; Ø=16		RH01-10	•	L=23; Ø=18
C2CW-15	• •	Wall brackets \emptyset =38; 40mm from wall to back cable; floor fitting \emptyset =16	CS22	•	H=28; D=21.2	2; Ø=16	RH02	•	L=24; Ø=16
C2CW-30	• •	Wall brackets \emptyset =38; 40mm from wall	CS23 CS23-3	• •	L=35; \emptyset =16 L=37; \emptyset =16		RH02-10 RP	•	L=28; \emptyset =18 \emptyset =18
		to back cable; floor fitting \emptyset =16	CSZS-S CWF	•		cts 40 from wall;	RPA	• •	$\emptyset = 15$
C2WF-15	• •	Wall brackets \emptyset =38; 40mm from wall			floor fitting \emptyset =		RR01	• •	L=31; Ø=16
C2WF-30	• •	to back cable; floor fitting \emptyset =15 Wall brackets \emptyset =38: 40mm from wall	CWW	•		cts 40 from wall;	RR01-10	• •	L=40; Ø=18
C2111 30		to back cable; floor fitting $\emptyset = 15$	HDS		fitting plate \emptyset = D=15; \emptyset =50	:38	RR01-3/10		L=33; Ø=18
C2WW-15	• •	Wall brackets \emptyset =38; 40mm from wall	HR10-3	•	$L=790; \emptyset=10$		RR01-3/6 RR01-6/10	• • •	L=29; Ø=16 L=56; Ø=18
C2WW-30	• •	to back cable Wall brackets \emptyset =38; 40mm from wall	KC2-CG05	• •		6; support Ø=23	RS		$\emptyset = 18$
C2 VV VV-30		to back cable	KC2-CG05-		Top fitting $\emptyset = 1$		RS01	•	D=11; Ø=16
CA4	•	4m cable; top fitting \emptyset =16; bottom	KMDB/SI	•	H=350; D=350	.,	RS03	• •	L=17.5;
6443		fitting Ø=15			project 40mm & wall	34011111 110111			Int $\emptyset = 12$; Int D=6; $\emptyset = 16$
CA4-3 CAA	•	Top fitting \emptyset =16; bottom fitting \emptyset =15 4m cable; fittings \emptyset =38	KMSB-25/S	il .	H=30; Ø=35;		RS03-10	• •	$L=22; \emptyset=18$
CAA	• •	4m cable; top bracket \emptyset =38;			cable fitting 25r	mm from wall	RS04	• •	L=21; Int Ø=12;
C/ 11		floor fitting Ø=15	KMSB/SI		$H=60$; $\emptyset=60$; cable fitting 50r	mm from wall			Int D=6; \emptyset =16
CAT	•	Weight 100H x 30Ø; weighs 0.55kg	KMSB-100/	/SI	H=110; Ø=110		RS04-10	• •	L=26; Ø=18
CCT	•	Weight 100H x 30Ø; weighs 0.55kg	141132 1007		100mm from wa		RS05 RS05-10	••	L=17; \emptyset =16 L=22; \emptyset =18
CCW	•	3m cable; top fitting \emptyset =16; projects 40 from wall	P01		Ø=38		RS06	• •	$L=20; \emptyset=16$
CD-4	•	W=5; Ø=25	P01-PC01		$H=15; \emptyset=38$		RS06-10	• •	L=26; Ø=18
CD-10	•	W=5; Ø=25	P02 P08	•	$\emptyset = 12; D = 6$		RS08	• •	L=18; Ø=16
CG01	•	L=20; Ø=16	PC01/I		H=8; \emptyset =16 L=12; \emptyset =16		RS-10		L=22; Ø=20
CG01-3	• •	L=21; Ø=16	PC31		L=18		RS11	• •	L=39; Ø=16
CG02 CG03	•	L=32; Ø=16 L=15; Ø=10	PR01-I		L=12; Ø=16		RS11-10 RS12	•	L=43; Ø=18 H=28; D=18.1;
CG03-3	•	L=15; Ø=10 L=15; Ø=10	R1000-10		L=1000; Ø=10)	11312		Ø=16
CG04	•	L=22; Ø=10	R1000P		L=1000; Ø=6		RS12-10	• •	L=20; Ø=18
CG04-3	•	L=22; Ø=10	R1500 R1500-10		L=1500; \emptyset =6 L=1500; \emptyset =10	1	RS13	• •	L=25; Ø=16
CG06	•	L=20; Ø=16	R500		$L=500; \emptyset=6$,	RS13-10 RS21	•	L=30; \emptyset =18 L=64; \emptyset =16
CG07 CG08	•	L=32; \emptyset =16 L=31; \emptyset =21; 8.5mm \emptyset hole required	R500-10		L=500; Ø=10		RS21-10	• •	$L=68; \emptyset=18$
CGU6	•	15mm from edge of panel	R500P		L=500; Ø=6		RS22	• •	L=30; D=24.2;
CG09	•	L=22; Ø=16	RAAS	• •	Top fitting $\emptyset = 1$ bottom fitting \emptyset				Ø=16
CG11	• •	L=27; Ø=16	RAS	•	Top & bottom fir		RS23	• •	L=38; Ø=16
CG11-3	• • •	L=28; Ø=16	RAS-10		Top fitting $\emptyset = 2$		RS23-10 RSA	•	L=38; \emptyset =18 \emptyset =15
CG12 CG12-3	• •	L=30; Ø=18 L=31; Ø=18			Bottom fitting Ø		WM01	• •	L=30
CG12-3	• •	L=27; Ø=18	RB1		1m rod; top fitti	5	WM02	• •	L=30
CG13-3	• • •	L=28; Ø=18	RB2 RB3		2m rod; top fitti 3m rod; top fitti	-	WM03	•	L=16
CG14	•	L=20; Ø=20.5	RBCF3		3m rod; top fitti	5	WM04	•	L=16
CG14-3	• •	L=21; Ø=20.5			bottom fitting Ø		WM05-13 WM05L-20		L=25; \emptyset =16 L=40; \emptyset =16
CG15 CG15-3	•	L=20; Ø=20.5 L=20.5; Ø=21	RBT1		1m rod; top fitti		WM06		$L=19; \emptyset=16$
CG21	• •	L=46; Ø=16	RBT2		2m rod; top fitti	5	WM07	•	L=28; Ø=16
CG21-3	• • •	L=46; Ø=16	RBT3 RBTF3		3m rod; top fitti 3m rod; top fitti	9	WM08	•	L=32; Ø=16
CG22	• •	L=52; Ø=18	Nons		bottom fitting Ø		WM09	• •	L=31; Ø=16
CG22-3	• • •	L=52; Ø=18	RC10-6	•	L=25; Ø=10		WM10	•	L=39; Ø=16; 24mm from wall
CG23 CG23-3	• •	L=46; Ø=18 L=46; Ø=18	REC 10	•	L=16; Ø=12		WM11	• •	L=31; Ø=16
CH01	•	L=16; Ø=16	REC-10 REC-P/BL		L=15; \emptyset =10 L=17; \emptyset =8.5		WM11-10		L=36; Ø=18
CH01-3	•	L=17; Ø=16	RG01	•	$L=17, \emptyset=8.5$ $L=25; \emptyset=16$		WM11L-10		L=59; Ø=18
CH02	•	L=24; Ø=16	RG01-10	• •	L=29; Ø=18		WM12	•	L=20; Ø=12
CH02-3	•	L=24; Ø=16	RG02	•	L=36; Ø=16		WM15 WM16	•	L=25; \emptyset =25 L=50; \emptyset =25
CQQ	•	2m Cable; top and bottom fitting $\emptyset = 16$	RG02-10	• •	L=40; Ø=18		WM17	•	L=75; Ø=25
CS01	•	D=11; Ø=16	RG05 RG06	•	L=16; Ø=16		WM18	•	L=25; Ø=16
CS01-3	•	D=11; Ø=16	RG06-10	•	L=25; \emptyset =16 L=29; \emptyset =18		WM19		Ø=16
CS03	• •	L=14; Int \emptyset =12; Int D=6; \emptyset =16	RG07	•	L=36; \emptyset =16		WM20	•	$\emptyset = 25; D = 5.5$
CS03-3	• •	L=15; Int Ø=12; Int D=6; Ø=16	RG07-10	• •	L=40; Ø=18		WMS-2 WMS-3		D=2 D=3
CS04 CS05	• •	L=20; Int Ø=12; Int D=6; Ø=16 L=14; Ø=16	RG11	• •	L=30; Ø=16		ALLEN KEYS:		
CS05-3	• •	$L=14, \emptyset=16$ $L=15; \emptyset=16$	RG11-10	• • •	L=34; \emptyset =18			n allen key each co	mponent requires,
CS06	• •	L=20; Ø=16	RG12 RG12-10	• •	L=33; \emptyset =18 L=37; \emptyset =18		check the co		t above against the
CS07	• •	L=28; Ø=16	RG12-10	••	$L=30; \emptyset=18$		grid below: AK1.5	1 Emm -	
CS08	• •	L=12; Ø=12	RG13-10	• • •	L=34; Ø=18		AK1.5 AK2.0	1.5mm • 2.0mm •	
CS08-3	•	L=16; Ø=16	RG14-10	• •	L=29; Ø=20.5		AK2.5	2.5mm •	
CS09 CS11	•	L=17; Ø=16 L=36; Ø=18	RG21	• •	L=46; Ø=16		AK3.0	3.0mm •	
CS11-3	• • •	L=37; Ø=18	RG21-10 RG22	• • •	L=68; \emptyset =16 L=52; \emptyset =18		AK4.0 AK5.0	4.0mm • 5.0mm •	
CS12	•	H=28; D=14.6; Ø=16	RG22-10	• • •	$L=52$, $\emptyset=18$ $L=56$; $\emptyset=18$		AK6.0	6.0mm •	
					-3/~ 10				

Tel: 01223 892283

create the perfect display for









Signage suspended from the ceiling...

Floor-to-ceiling creativity...



Versatile cable and rod systems that allow you to create exactly the display you want.















John Ellis Shop Equipment Limited

TEL: 01223 892283 FAX: 01223 891572 johnellis@shopequip.co.uk

www.shopequip.co.uk